



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/764,681	01/18/2001	Markus Haller	P-9418	6923	
27581	7590 03/21/2005		EXAMINER		
MEDTRONIC, INC.			PRIETO, BEATRIZ		
710 MEDTRONIC PARKWAY NE MS-LC340			ART UNIT	PAPER NUMBER	
MINNEAPOL	JIS, MN 55432-5604		2142		
			DATE MAILED: 03/21/2009	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

<u> </u>		Application	n No.	Applicant(s)				
		09/764,68	1	HALLER ET AL.				
Off	fice Action Summary	Examiner		Art Unit				
		Prieto Bea		2142				
The N Period for Repl	MAILING DATE of this communication Y	appears on the	cover sheet with the c	orrespondence ad	idress			
THE MAILIN - Extensions of the after SIX (6) Michigan of the period for the period for the period for Failure to reply Any reply received.	INED STATUTORY PERIOD FOR REAL OF THIS COMMUNICATION IN THE PROVISION OF THIS COMMUNICATION IN THE PROVISION OF THE PROVISION	ON. R 1.136(a). In no even. r. a reply within the statueriod will apply and witatute, cause the apply	int, however, may a reply be tim story minimum of thirty (30) days I expire SIX (6) MONTHS from ication to become ABANDONEI	nely filed s will be considered timel the mailing date of this c O (35 U.S.C. § 133).	ly. ommunication.			
Status								
1)⊠ Respo	Responsive to communication(s) filed on <u>14 February 2005</u> .							
2a)⊠ This a	ction is FINAL . 2b)	This action is n	on-final.					
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of (Claims							
4a) Of 5) ☐ Claim(6) ☑ Claim(7) ☐ Claim(8) ☐ Claim(Application Par 9) ☐ The sp	ecification is objected to by the Exar	ndrawn from con	equirement.					
Applica Replac	awing(s) filed on <u>22 August 2001</u> is/a int may not request that any objection to ement drawing sheet(s) including the co th or declaration is objected to by the	the drawing(s) b	e held in abeyance. See ed if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 C	FR 1.121(d).			
Priority under 3	511 S C & 110							
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.								
Attachment(s)	011 1/070 000			(DTO 440)				
	erences Cited (PTO-892) tsperson's Patent Drawing Review (PTO-948	3)	4) Interview Summary Paper No(s)/Mail Da					
3) Information Di	sclosure Statement(s) (PTO-1449 or PTO/Stail Date		5) Notice of Informal P 6) Other:		O-152)			

DETAILED ACTION

- 1. This communication is in response to Amendment filed 12/02/04, claims 1 and 29 have been amended, claims 56-59 canceled and claims 1-55 remain pending.
- 2. Applicant's remarks with respect to the double patenting rejection of claims 1, 2, 29 and 56-59 under judicially created doctrine of obviousness-type double patenting have been considered. Rejection is withdrawn.
- 3. Quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejection set forth in this office action may be found in previous office action.
- 4. Claims 1-2, 5, 7, 8, 10-22, 24-26, 28-30, 32-35, 37-49, 51-53, and 55 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,456,692 Smith, Jr. et. al. (Smith hereafter) in view of U.S. Patent No. 5,720,770 Nappholz et. al. (Nappholz hereafter).

Regarding claim 1, Smith teaches substantial features of the invention as claimed, including a system (Figs. 1 and 5-6) for monitoring the performance of pacemaker (20 of Fig. 1) (IMD) implanted within a body of a patient (col 6/lines 35-39 and col 10/line 35-47), or monitoring the health of the patient (col 9/lines 54-58 and col 7/lines 3-23), the system comprising:

the IMD (20) being capable of bi-directional communication link (44) with a external programmer (46) ("communication module") located external to the patient's body (see Figs. 1 and 6);

the IMD (20) comprising a memory (40) having software loaded therein (Figs. 5-6) and for loading software from the communication module (46) (col 20/lines 27-30);

means for permitting the software to be updated (steps on Figs. 3-4) (col 5/lines 23-44, col 9/lines 6-24) after the IMD has been implanted within the patient's body (col 4/lines 5-22, 28-37, 50-60);

the communication module (46) comprising means for updating software loaded in the IMD (Figs. 3-4, col 5/lines 21-34, col 4/lines 5-13 or col 11/lines 51-54);

a remote computer system (64 of Fig. 6) capable of initiating the downloading of updated or new software to the IMD (20) via the communication module (46) (col 14/lines 44-51, update software steps of Figs. 3-4 or new software steps of Fig. 11 and col 20/lines 50-53); however Smith is silent regarding the use of a mobile telephone;

Nappholz teaches a system/method for remotely delivering therapy to a patient through an implanted medical device (abstract), the system including an implantable medical device (ICD-12) having a bi-directional communication link (24) with a communication module (14) located external to the patient's body (Fig. 1) (col 3/lines 61-col 4/line 9 and col 5/lines 15-18);

the communication module (14) including a mobile telephone and repeater, capable of receiving and transmitting information via a communication network (26 and 30) (col 4/lines 6-11, 16-20 and col 5/lines 20-25); and

a communication system (26 or 8) capable of bi-directional communication with the mobile phone (14) and a remote computer system (27) (col 4/lines 6-20) and supporting communication between the remote computer system (27) to the IMD (12) through the communication module (14) via said communication system (col 6/lines 64-col 7/line 3, 23-27, 38-44, 50-52, 59-64), and

the remote computer system (27) couples to a "emergency dispatch" facility (29) as shown on Fig. 1.

It would be obvious to one ordinary skilled in the art at the time the invention was made given the teachings of Smith for updating and replacing software programs on an implanted medical device from a remote computer system through a communication module and the suggestion of using telephone base communication medium, associated procedures and protocols for establishing said communication, the teachings of Nappholz having the same intended purpose would be readily apparent. Given the teaches of Nappholz for providing communication in any combination between the implanted device, the patient, the physician or health care provider facility and personnel using an external module comprising multiple components each providing their intrinsic functions, yet configured to communicate with each other, one ordinary skilled would motivation to apply the teachings of the Nappholz because in doing so the patient is provided with full mobility, and further both the patient and the device can communicate with a remote physician, hospital or care facility using commercially available communication technology.

Regarding claim 2, wherein the communication module incorporates the mobile telephone (Nappholz: 14 of Fig. 1, see col 5/lines 20-25).

5. Claims 3-4 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smith in view of Nappholz in further view of U.S. Patent No. 5,497,339 Bernard.

Regarding claims 3-4, however the Smith nor Nappholz references teach the integration of a personal mobile telephone with a personal digital assistant or their separation into separate devices.

:

Bernard teaches the multiple integration of functional capabilities to a PDA, teaching a PDA with cellular phone capabilities (col 1/lines 39-57, col 3/line 49-col 4/line 16) and include switching communication function for switching data between cellular and telephone communication links and necessary supporting data conversions/circuitry rx-tx functions (col 16/lines 38-65) associated including the capability to remotely download software to the integrated unit (Fig. 9A).

It would have been obvious to one ordinary skilled in the art at the time the invention was made given the Smith suggestions of using a Personal Communication Network (PCN) for interrogating the implanted device to assess its operation or the patient's health through the communication module (14). One ordinary skilled would be motivated to utilize Bernard teachings for combining telephone and personal communication devices, such as PDA functionalities because in doing so the patient can further schedule his/her intake medications and/or appointments. The advantages of integration/separations of component functionalities are readily apparent to one ordinary skilled in the art, for example, separation of function in components enables the device to continue to operate will other components are being either replace/updated as taught by one of the applied reference, further separating components functions into separate devices, will enable a patient cost conscientious if desirable the option to select/purchase the device based on the desired functions need and his/her means.

Regarding claim 5, wherein the IMD and the communication module communicate with one another using radio-frequency telemetry (Nappholz: col 4/lines 6-9, and col 5/lines 15-19).

Regarding claim 6, wherein the communication module further comprises a microprocessor (Nappholz: 90 of Fig. 3), and one RF communications circuit for transmitting information to and receiving information from the IMD (Nappholz: 124 and 74/76 of Fig. 3).

Regarding claim 7, data output port, cable and connector for connection to a mobile telephone data input port of the mobile telephone (Nappholz: 62 of Figs. 3, 4 and 4B col 5/lines 25-34).

Regarding claim 8, a memory thereof computer readable software for initiating and maintaining communications with the mobile telephone using standardized handshake protocols (Nappholz: col 8/lines 19-25).

6. Claims 9 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smith in view of Nappholz in further view of U.S. Patent No. 5,342,408 deCoriolis et. al. (deCoriolis hereafter).

Regarding claim 9, however the above-mentioned prior is silent regarding telemetry signal strength indicator;

DeCoriolis teaches a telemetry system/method including a signal strength indicating means for providing an indication of received signal strength at an external mode (abstract).

It would have been obvious to one ordinary skilled in the art at the time the invention was made given the teachings of Smith for monitoring the parameter associated with the operation of the implanted device, as well as the patient health, the teachings of deCoriolis for the same objective would be readily apparent. One would be motivated to monitor the operation of the implanted device for assuring accuracy of the transmitted data provided by the implanted device, the external device's telemetry receiving circuitry must receive the maximum signal strength possible, thereby the need for an indication of the signal strength so that the reception circuitry may be properly programmed.

Regarding claim 10, wherein the communication module further comprises a memory for storing software downloaded to the IMD (Smith: col 12/lines 37-39).

Regarding claim 11, wherein the communication module comprises a battery (50A) or an I/O interface (44) supporting 20, 30, and 32 communication links (Nappholz: Fig. 1).

Regarding claim 12, wherein the communication module is adapted to receive electrical power from a portable energy source (50A) disposed to there within (Nappholz: Fig. 1).

Regarding claim 13, however the above-mentioned prior art does not explicitly teach wherein the communication module is plug-and-play compatible with the mobile telephone.

Official Notice (see MPEP § 2144.03 Reliance on "Well Known" Prior Art) is taken that plug-and-play was old and well known in the Data Processing art. It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to include a plug-and-play application compatible with the mobile telephone because give motivation use add-in cards that are easy to install and use and take advantage of their extremely high memory capacities optimal for many mobile and portable applications (e.g. mobile telephones), such PC cards have become widely used for mass data storage applications, and are a popular alternative for conventional add-on card implemented non-volatile memory solutions such as rotating hard disks and battery-backed SRAM, especially for personal data assistants (PDAs).

Regarding claim 14, wherein the communication module (14), upon receiving instruction from the remote computer system or a remote health care provider (27), upload data therefrom (Nappholz; col 2/lines 41-45, col 2/lines 65-col 3/line 3, col 4/lines 11-20) or including means for interrogating the IMD from a remote computer system through the communication module (Nappholz; 13/lines 44-col 14/line 36).

Regarding claim 15, the wherein communication module (14) comprises means for storing information obtained from the IMD (12) in a memory (49 or 31) (Nappholz: col 7/lines 8-13 and col 8/lines 15-18, or memory (31) see col 8/lines 19-28).

Regarding claim 16, wherein the communication module (14) further comprises means for relaying information obtained from the IMD (12) to the remote computer (27) via the mobile telephone (14) over computer systems (26 or 8) (Nappholz: col 6/line 64-col 7/line 64).

Regarding claims 17-19, these claims are substantially the same as system claims 14-16, discussed above, same rationale of rejection is applicable.

Regarding claim 20, wherein the communication system (26 or 8) comprises a mobile, wireless or cellular based telephone network (Nappholz: col 4/lines 9-11 or col 7/lines 23-27).

Regarding claim 21, wherein the communication module (14) comprises means (106 of Fig. 3) for managing (storing and delivering) update software relating to the operational or functional parameters of the IMD (Nappholz; col 6/line 64-col 7/line 3, 50-64 and col 5/lines 57-60).

Regarding claim 22, wherein the communication module further comprises means for defecting a abnormal condition ("fault") in the operation or circuitry thereof (Nappholz: col 1/lines 23-31).

7. Claims 23 and 50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smith in view of Nappholz in further view of U.S. Patent No. 3,972,320 Kalman.

Regarding claim 23, however the above-mentioned prior art is silent with respect to correcting a detected fault in operation or circuitry of the communication module and means for notifying the remote computer system or the patient that the fault has been corrected.

Kalman teaches a system/method related medical devices (col 1/lines 5-11), including a device having means (10 of Fig. 1) for detecting a fault in operation or circuitry of itself and means (10 of Fig. 1) for notifying a remote computer system a fault needs to be corrected (col 5/lines 29-66 and col 25/lines 15-61).

It would have been obvious to one ordinary skilled in the art at the time the invention was made given the teachings of Smith for monitoring the performance of an IMD and the patient hosting said device through a communication device which acquires both patient and device status information for further transmission the remote physician and/health care providers locations, to assure that this intermediate device serving as point of relay with the external world is provide with fault tolerant measure. Thereby, the self-testing and notification mechanism taught the Kalman would be readily apparent. One would be motivated to enhance Smith systems with the teachings set for in Kalman reducing communication to a specific location only under predetermined condition is detected and generate specific alarm notification based on the detect fault being patient or device malfunction related and further notify for example a billing related remote computer that new or updated software has been downloaded to the implanted device for correcting detect fault for further account for software distribution services

Regarding claim 24, wherein the communication module comprises means for detecting a fault in the operation or circuitry of the IMD (Nappholz: col 1/lines 23-31).

Regarding claim 25, including limitations discussed on claim 23 and further wherein the communication module comprises means for correcting a detected fault in the operation or circuitry of the IMD (Nappholz: col 1/lines 23-31).

Regarding claim 26, means for obtaining ("mining") patient history or performance parameter integrity or software status from the communication module (Nappholz: col 7/lines 1-19).

8. Claims 27 and 54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smith in view of Nappholz in further view of U.S. Patent No. 5,258,906 KROLL et. al. (Kroll).

Regarding claim 27, however the Smith and the Nappholz references are silent regarding the generation of invoices in their systems;

Kroll teaches a system/method related to medical device systems, including the generation of invoices in such systems. Kroll teaches a communication device (12 of Fig. 1) comprising an invoice generating entity communicatively coupled to a medical device (21 of Fig. 1) (col 3/lines 21-49), the invoice generating device configured to generate an invoice (col 3/line 62-col 4/line 14, col 5/lines 8-15, 43-68), when communication between the medical device is initiated the communication device invoicing entity (col 4/lines 41-63).

It would have been obvious to one ordinary skilled in the art at the time the invention was made given the teachings of Smith for monitoring an implanted medical device in a patient, and communicating with physicians and health care personal, the teachings of Kroll for providing an invoice generation mechanism related to these services would be readily apparent. One skilled in the art would be motivated given the transmission mechanism, self-contained modularity and add-on capability of the Smith-Nappholz system to further include the generation and transmission of formatted invoices for processing and delivering for the remuneration of rendered services based on actual metered usage of the device systems including for example the implanted device and the mobile telephone.

Regarding claim 28, the communication module comprises means for monitoring the performance of the IMD or for monitoring physiologic signals or data indicative of the patient's health status (Nappholz: col 1/lines 23-31).

Regarding claim 29, this system claim is substantially the same as claim 1 combined with claim 2 or 3, same rationale of rejection is applicable.

Regarding claim 30, this is in substance the same as claim 2, discussed above, same rationale of rejection is applicable.

Regarding claim 31, this is in substance the same as claim 3, discussed above, same rationale of rejection is applicable.

Regarding the system claims 32-49, 50-54 and 55 are substantially the same as the system claims 5-23, 24-27 and 28, respectively, wherein the communication module in the latter further comprises either the features of claim 2 or 3, same rationale of rejection is applicable.

Application/Control Number: 09/764,681

Art Unit: 2142

9. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set

forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from

the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing

date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH

shortened statutory period, then the shortened statutory period will expire on the date the advisory action

is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later than SIX

MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Prieto, B. whose telephone number is (571) 272-3902. The Examiner can normally be

reached on Monday-Friday from 6:00 to 3:30 p.m. If attempts to reach the examiner by telephone are

unsuccessful, the Examiner's Supervisor, Jack B. Harvey can be reached on (571) 272-3896. The fax

phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be

directed to the receptionist whose telephone number is (703) 305-3800/4700.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system, status information for published application may be obtained from

either Private or Public PAIR, for unpublished application Private PAIR only (see http://pair-

direct.uspto.gov or the Electronic Business Center at 866-217-9197 (toll-free).

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

P.O. Box 1450

Alexandria, VA 22313-1450

or faxed to the Central Fax Office:

(703) 872-9306, for Official communications and entry; or telephone

(703) 306-5631 for TC 2100 Customer Service Office.

. B. Prieto

Primary Examiner March 16, 2005 Besty Prich Princy Exemi